



SEALANTS LTD

FOR

BETTER SERVICE



22 Years  
of  
Excellence

1989 - 2011

# SEALANTS, FIXINGS & ADHESIVES



## TRADE PRICE LIST JUNE 2011

# CONTENTS

Page 1	SILICONE SEALANTS
Page 2	SILICONE SEALANTS CONTINUED MARINE SILICONE - <b>NEW</b> SWIMMING POOL SEALANT - <b>NEW</b>
Page 3	SELF CLEANING GLASS – APPROVED SEALANTS BACK-UP FOAM CORDS SILICONE AND MASTIC SMOOTHING KITS SILICONE & SEALANT REMOVER & CLEANERS EXTRA NOZZLES
Page 4	CARTRIDGE SEALANTS CYANOACRYLATE GLUES
Page 5	FIXALLPRODUCTS FIRE-RETARDANT PRODUCTS
Page 6	EXPANDING GUN FOAM EXPANDING GUN FOAM CLICK & FIX EXPANDING FOAM – HAND OPERATED PU REMOVER EXPANDING FOAM KITS
Page 7	EXPANDING FOAMS WOOD ADHESIVE STELMAX SILICONE SPRAY
Page 8	CLEANING MATERIALS
Page 9	TAPES
Page 10	SELF-TAPPING MASONRY SCREWS MASONRY WALL SCREWS (MRS) UNIVERSAL 11mm SELF-DRILLING BAYPOLE SCREWS
Page 11	POZI FLAT COUNTERSUNK SCREWS
Page 12	DRILL BITS
Page 13	WINDOW FIXINGS PLASTIC WALL PLUGS OPTITOR SCREWDRIVER BITS PLASTIC HEADED PINS AND NAILS
Page 14	GLAZING PACKERS AND ACCESSORIES
Page 15	TOOLS SKELETON FRAME GUNS
Page 16	TWINSON COMPOSITE DECKING

**GOODS RETURNED FOR CREDIT OR REFUND WILL BE SUBJECT TO  
A 15% RESTOCKING CHARGE**

# SILICONE SEALANTS

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
SF	SUPERFLEX  White, Translucent, Brown, Grey and Black.	Pure unblended, fast neutral curing low modulus silicone, which has primerless adhesion to many substances including PVCu and porous surfaces. Quality test meets or exceeds BS5889B and ISO 11600-F-25 LM.	310ml	12	3.19
SR	SODAL SILIRUB 2  Toffee, Beige, Stone, Portland Stone, Oak, Anthracite, Rustic Red, Terracotta.	A High quality neutral cure, universal silicone sealant, very good adhesion on practically all materials. Quality test meets or exceeds BS5889B and ISO 11600-F-25 LM.	310ml	15	5.29
SRLMN	SODAL LMN  White, Translucent, and Brown.	A Low modulus neutral curing silicone with very good adhesion on many materials.	300ml	24	2.96
PVCU	PVCU FRAME SILICONE  Brilliant White, Clear	Low Modulus Neutral (LMN) formulation for high movement joints. Fast curing. Flexible and weather tight seal. Adheres to most common building materials including glass, other glazed surfaces, metals, wood, aluminium and PVCu.	300ml	12	2.65
SR2S	SILIRUB 2S White Aluminium, Grey-White, Grey, Transparent-Grey, Bahama Beige, Jasmine, Light Ivory, Silver-Grey, Brilliant White, Transparent, Manhattan Grey.	A high quality neutral cure silicone sealant, elastic one component joint sealant based on silicones which contain an anti-mould agent. Excellent adhesion on all common building materials including acrylic shower and bath tubs. FDA Approved (Food safe).	310ml	15	5.29
SR	SILIRUB COLOUR  Various RAL colours.	A high quality neutral cure elastical one component joint silicone. It has especially been developed for colour match sealing's based on RAL system colours. Can be made to any RAL colour, please check for stock colours available.	310ml	15	5.29
SDPL	SILIRUB PL  White and Anthracite.	Professional sealant for sealant applicators. A neutral moisture-cured sealant for construction joining and sealing. Once cured it has a movement capability of +/- 50% over a wide range of temperatures. Conforms to BS5889A and ISO 11600-F-25 LM	380ml	24	4.32
SB	SUPERBOND White, Translucent,  Brown, Grey, Black, Aluminium.	Pure unblended, premium choice high modulus silicone. Rapid curing forming a strong, highly flexible seal. Quality test meets or exceeds BS 5889B and ISO 11600-G-25 HM.	310ml 310ml	12 12	3.40 3.70
SG	SUPERGLAZE  White, Translucent.	A low modulus acetoxo silicone sealant, for top sealing at glazing jobs, connection and expansion joints. Quality test meets or exceeds BS5889 type A.	310ml	12	3.03
MP	MULTI-PURPOSE  White, Translucent.	Remains permanently elastic and weather resistant. Ideal for general glazing and sanitary applications. Contains anti-fungicide additive. Quality test meets or exceeds BS5889B.	310ml	12	2.64

## SILICONE SEALANTS CONTINUED

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
SRCL	SILIRUB CLEANROOM  White.	A high quality neutral, elastic low modulus sealant, which has been developed for sealing applications in critical surrounds (hospitals, labourites, pharmaceutical industries) and in food sale applications. Tested to FDA regulations code CFR 21 § 177.2600 (e) and (f).	310ml	15	5.56
MBGR	MIROBOND  Grey.	Solvent-free mirror adhesive for the fixing of all traditional and high quality silver or mercury backed mirrors. Does not stain mirrors.	310ml	15	5.36
HTRB	HIGH TEMPERATURE RESSISTANT SILICONE  Black.	Suitable for joints and assemblies which must be resistant to high temperatures in ducting, metal chimneys, industrial ovens, heating appliances etc. Resists temperatures up to 275°C continuously (300°C for short periods).	310ml	15	7.79
PSWH	PAINTABLE SILICONE  White.	A high quality neutral curing silicone which can be painted after 24 hours with most synthetic paints as well as water-based paints.	310ml	15	5.65
SRMA	SILIRUB MA  Marble Grey, Travertine, White, Black and Clear.	A non staining silicone, specifically developed for marble and natural stone, ideal in sanity rooms refrigerators, food preparation areas where food safety is required.	310ml	15	5.35
SDAQUA- RIUM	SILIRUB SILICONE AQUARIUM  Clear and Black.	For the construction of full glass aquariums and terrania. The silicone is not poisonous after curing to animals or fish.	310ml	15	5.24
FSWH	FIRE SILICONE B1 FR  White.	Low modulus neutral curing sealant for use in areas where heat and fire resistance are required. High fire-rated joint silicone. Tested to BS476 PART22 UNDER FRENCH CSTB NR9335163 can achieve up to a 4 hours fire rating.	310ml	15	4.32

## MARINE SILICONE

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
MS	White, Clear and Black	A silicone rubber sealant that fills and caulks gaps, joints and cracks around the boat. Unaffected by immersion in salt or fresh water.	310ml	12	6.57

## SWIMMING POOL SILICONE

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
OSS140	OTTOSEAL S140 White, Grey.  Other colours are available. Contact sales office to order.	Underwater joints in swimming pools. Jointing in continuous wet conditions. Contains Otto Fungitect Silver Technology giving prolonged protection against mould and micro organism. Harmless to health and environmentally benign.	310ml	20	10.48
OSAMS	Anti-Mildew Spray	For treatment of mould infected joints.	500ml	12	6.38
OSP1218	Ottoseal Primer 1218	Primer for improving the adhesive properties in continuously wet conditions when using Ottoseal S140.	250ml	15	18.16

## SELF CLEANING GLASS – APPROVED SEALANTS

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
SDSMX	SMX506  White and Black.	ISO 11600G-20LM Approved sealant especially developed for use with self-cleaning glass between glass and window-frames in residential housing projects. This product: SMX505 was tested and approved for Pilkington active glass as well as SGG Bioclean.	290ml	12	7.79
SD215LM	SOUDASEAL 215LM  White, Black, Grey, Dark Beige, Portland Brown.	For perimeter joints between brickwork and window frames. Soudaseal 215LM is an excellent elastic sealant without effect on self-cleaning properties.	290ml	12	5.72

## BACK-UP FOAM CORDS

Code	Products / Colours	Description	Diam	Pack Quantity	Price Each
BF15	ROUND FOAM CORD	For use with sealants to ensure optimum movement accommodation. Deep joints should be filled with a back-up foam.	15mm	500Mtrs	59.24

Other sizes are available on request. Contact sales office for details 01264 359984

## SILICONE & MASTIC SMOOTHING KITS

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
FUGI1	FUGI-KIT 1	Silicone removal and application tool works with all sealants and caulks on flat and uneven surfaces.		Single	6.85
FUGI3	FUGI-KIT 3	Multi-functional tools for the professional use of many flexible sealants and caulks 3 tools, 16 different ways of use.		Single	12.95
FUGI5	FUGI-KIT 5	Five piece caulking set for 16 profile shapes fugi 11 with guiding aid.		Single	15.39

Fugi-kits require no releasing agent (soapy water)

## SILICONE & SEALANT REMOVER & CLEANERS

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
SR100	SILICONE REMOVER	Fast and efficient needs only 10 minutes to penetrate, easy to apply, includes brush and spatula. Removes 4 to 5 meters of old silicone joints. Pleasant citric smell. Removes all old silicone joints as well as non-cured silicone.	100ml	12	6.89
SR400	SILICONE REMOVER Spray can	As above, but a spray can for larger areas. Does not include brush and spatula.	400ml	12	14.87
IDWT	SWIPEX	Heavy-duty non-woven wipes impregnated with a liquid formula for removing sealant, paint, adhesives etc from hands, tools and general hard surfaces.	80 Wipes Per tub	6 Tubs Per box	6.99

## EXTRA NOZZLES

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
SPUI41	White and clear	Standard nozzles	4 ¼"	Single	0.10
SPUI59	Clear	Extra long nozzles	7"	Single	0.35
117773	Clear	Twistable nozzles for hard to get areas.	4 ¼"	5	1.95 Per Pack

All prices are subject to VAT

<b>CARTRIDGE SEALANTS</b>					
Code	Products / Colours	Description	Size	Pack Quantity	Price Each
SC	SUPERCAULK White.	A Superior weatherproof sealant with siliconised flexibility and adhesion, suitable for interior and exterior use. Can be over-painted, and is mould resistant.	310ml	12	1.15
	Brown.		310ml	12	1.43
SDGP	SOUDAGRIP Buff.	An instant-grab, high strength construction adhesive. Can be used as a gap-filler on uneven surfaces. Compatible with most building materials. Replaces nails and screws.	350ml	12	4.29
SDECO	SOUDAL ECOGRIP White.	Solvent free construction adhesive, has good initial grab, high bond strength, can be used as a gap-filler on uneven surfaces.	310ml	15	2.49
SO	SEAL-ONCE Clear, White, Brown, Grey, Grey/Silver and Black.	Seals through standing water and oil film. Can be used in inclement weather. Stops leaks immediately. Can be used on lead, asphalt, bituminous products, glass, wood, sheet metal, stone, ceramics, plastic, masonry or any other solid surface.	300ml	20	7.32
SDAQCL	SOUDAL AQUAFIX Clear	Adheres onto most surfaces even when damp or under water ideal as an emergency repair product.	310ml	15	5.30
PR240	SOUDASEAL 240FC White, Black and Grey.	Based on MS-Polymer® a joint sealant with high adhesive strength. Chemically neutral and fully elastic. For use in low movement joints in construction, automotive, marine and aerospace areas where a tough flexible rubber is required. As an ANTI-PICK mastic for prison's and other areas. Has passed and been tested for the finger pick removal.	290ml	12	6.14
PR	SOUDAFLEX 40FC White, Grey, Black and Teak.	A high quality, one component polyurethane sealant with high modulus for a wide range of sealing and bonding applications. Excellent adhesion on all usual building materials especially concrete. Not on glass or PVCu.	310ml	12	3.92
SS2KGR	SOUDASEAL 2K Grey.	Soudaseal 2K is a fast curing high quality two component Hybrid Polymer based adhesive/sealant For use in elastical bonding applications where fast curing is required or for those applications where the bond design does not allow the normal penetration of atmospheric moisture.	250ml	6	12.82
SDCALBL	SOUDAL FIRE CEMENT Black.	Resists temperatures to 1500°C. Can be used for assembling or repairing of ovens, fireplaces, central heating boilers etc.	310ml	15	5.41
SDCB940	CARBOND 940FC White, Grey and Black.	For absorbing noise and vibration of metal and fibreglass parts in carbodies	310ml	12	4.23

<b>CYANOACRYLATE GLUES</b>					
Code	Products / Colours	Description	Size	Pack Quantity	Price Each
SSO2	SUPERSTRONG SUPERGLUE Clear.	Rapid curing cyanoacrylate adhesive for PVCu. Orange (thin grade), Blue (thick grade).	20gm	10	2.32
SSB2			50gm	10	4.45
SSO5					
SSB5					
SSAC	ACTIVATOR	Spray applied activator for difficult surfaces.	200ml	12	5.94

All prices are subject to VAT

## FIXALL PRODUCTS

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
FIXALL-	SODAL FIX-ALL CLASIC  Black, Brown, Grey and White.	Seals and bonds, ideal for all interior and exterior bonding, paintable, can be applied even under water, non-staining, weather-proof and waterproof, suitable for sanitary applications.	290ml	12	5.43
FIXALLCR	SODAL FIX-ALL Crystal Clear.	Seals and bonds, 100% crystal clear. High tack, the latest in MS Polymer technology.	290ml	12	7.35
FIXALLHT-	SODAL FIX-ALL HIGH-TACK White, Black, Brown and Grey.	Soudal Fix-all High Tack is super strong and the ultimate adhesive / sealant. It can be applied to all common surfaces, even under water. Stays permanently flexible and can be painted.	290ml	12	6.20
FIXALLTB-	SODAL FIX-ALL TURBO White	Soudal Fix-all Turbo has a super-fast adhesion. Capable of carrying a load in 20 mins, and fully cured in 3 hours. It can be applied to all common surfaces, even under water. Stays permanently flexible and can be painted.	290ml	12	9.56

## FIRE-RETARDANT PRODUCTS

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
FSWH	FIRE SILICONE B1FR Fire retardant silicone  White and Grey.	Low modulus neutral silicone sealant for use in areas where heat and fire resistance are required. High fire-rated joint silicone – Tested to BS476 part 22 under French CSTB Nr 9335163. Can achieve up to 4 hour fire rating.	310ml	15	4.32
FA	FIRE ACRYLIC FR  Intumescent sealant.  White and Brown.	Low smoke, halogen-free, water based Intumescent acrylic sealant which is non-toxic and slump resistant in joints up to 35mm wide. Ideal for perimeter pointing of office doors, construction joints and gap-filling. Over-paintable. Up to a 4 hour rating.	310ml	25	2.22
FA900	FIRE RATED ACOUSTIC SEALANT (JUMBO)  White	Intumescent acrylic sealant that forms a durable, flexible and resilient acoustic seal. Reduces sound transmission in partition systems. Suitable for vertical or horizontal, low movement joints. Non-Toxic. Stain free. Good adhesion to most common building materials including plaster, concrete, wood, brickwork and anodised aluminium. Low smoke. Halogen free. Mould Resistant. Paintable. 4 HOUR FIRE RATING – tested in accordance with BS 476:part 20 (1987)	900ml	12	7.27
FS30	FIRESTRIP 30  Mahogany and White.	Especially developed for use as a non load-bearing tape which is easy and economical to use. Its main application is in the glazing of fire doors, when the tape should be placed between the glass and the bead where in a fire situation it will intumesce by approx 200%. Provides half hour fire resistance certified approved NOCF297.	12mm X 3mm X 10Mtrs	12	9.56
SFFR	SOUDAFOAM FR  Fire retardant PU foam	Fire retardant single component PU foam with non-hazardous propellant. Fire rating of up to 229 minutes. Excellent adhesion to many building materials. Fire-rating B1(DIN 4102, part 1, 15a16)	750ml	12	12.45

All prices are subject to VAT

## EXPANDING GUN FOAM

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
SFGA	SUPERFOAM GUN-APPLIED	A gun-applied, one component self-expanding polyurethane foam for the professional user. More efficient, economical and easier to use. Zero ozone depletion potential.	750ml	12	5.72
SFGC	SUPERFOAM GUN CLEANER	For cleaning internal gun mechanism of uncured foam.	500ml	12	4.33
SFGN	SUPERFOAM GUN	A professional dispensing gun for single-handed, direct and accurate application of one part polyurethane foam.	Metal	Single	35.00

## EXPANDING GUN FOAM CLICK & FIX

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
CFGF	SOUDAFOAM CLICK & FIX GUN APPLIED	A single component, self expanding, ready to use polyurethane foam. It has been fitted with the unique patented Click & Fix adaptor system for maximum comfort in use.	750ml	12	6.64
CFGC	SOUDAFOAM CLICK & FIX GUN CLEANER	For cleaning internal gun mechanism of uncured foam, with Click & Fix guns.	500ml	12	4.59
CFGN	SOUDAFOAM CLICK & FIX GUN	Only ¼ turn is required to ensure a perfect fit with a Click & Fix gun. Very quick and simple to use, leaking is very much reduced, saves time, easier to clean gives maximum extrusion.	Metal	Single	37.00

## EXPANDING FOAM – HAND OPERATED

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
BSF7	BONDSEAL AEROSOL FOAM	One component, fast-setting, self-expanding polyurethane foam which joints, seals and insulates most common construction materials including wood, brick, metal, concrete and most plastics. Zero ozone depletion potential.	750ml	12	4.95
BSF5			500ml	12	4.29
SFGC	BONDSEAL SOLVENT	For cleaning distributor nozzles and valves of uncured foam.	500ml	12	4.33
SFFR	SOUDAFOAM FR Fire retardant PU foam	Fire retardant single component PU foam with non-hazardous propellant. Fire rating of up to 229 minutes. Excellent adhesion too many building materials. Fire rating B1 (DIN 4102, part1, 15a16)	750ml	12	12.45

## PU REMOVER

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
PUFR	CURED FOAM REMOVER	Removes all remains of cured PU foam without a problem.	100ml	6	10.59

## EXPANDING FOAM KITS

Handi-Foam 2 part expanding foam kits. Ideal for larger applications. Quick cure spray foam or slow rise formula available in medium or large cylinders.

For more information visit [www.expandingfoamkits.co.uk](http://www.expandingfoamkits.co.uk) or call Jamie at our sales office on 01264 359984.

**EXPANDING FOAMS**

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
SFSMX	SOUDAFOAM SMX	The first expanding foam without isocyanates. Environmentally friendly.	500ml	6	22.92
CFFF	FLEXIFOAM	A Click & Fix gun applied soft spongy foam with high movement capabilities. And a very high acoustic rating value.	750ml	12	9.05

**WOOD ADHESIVE**

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
SDPRO 45P750	SOUDAL PRO 45P	Ultra fast drying polyurethane based wood adhesive with very high bond strength and excellent water resistance.	750g	6	10.28

**STELMAX**

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
85WH	STELMAX 1985	Rapid curing, easily applied adhesive which readily bonds all types of flexible and rigid PVC items. Forms a strong maintenance-free join. Especially suitable where bonding is only possible over small, narrow areas.	White	16	1.84
85CL	White and Clear		132gm		
85CL			Clear	16	1.73
65W5 65W1	STELMAX 1965	A gap-filling adhesive for bonding rigid and plasticised PVC. Widely used in the window industry for frames and attachments with exceptional bonding to surrounds in wood, brickwork and concrete.	White	25	1.44
65M5 65M1	White, Mahogany And Light Oak		132gm	16	3.41
65O1			Mahog	25	1.78
			132gm	16	4.16
61WH 61MA	STELMAX 1961	Mix and properties as 1965 but contains more filler and has improved sealing and gap-filling characteristics.	White	20	3.87
	White and Mahogany		300gm	20	5.47
UC.5 UC01 UC05	STELMAX ULTRACLEAN	An effective cleaning agent for soiled areas of PVC. Use sparingly for removal of dirt, oil, and grease from finished PVC or coated PVC components and assemblies.	0.5 litre	20	2.30
			1 litre	10	3.83
			5 litres	4	15.07

**SILICONE SPRAY**

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
SP400	SILICONE SPRAY	For lubricating and smoothing parts. For protecting from dirt and humidity and cleaning of surfaces of rubber, plastics, wood, metal etc. – Multi use.	400ml	6	3.99

<b>CLEANING MATERIALS</b>					
Code	Products / Colours	Description	Size	Pack Quantity	Price Each
GC25 GC05 GC01	AB GLASS CLEANER Industrial Strength	Exclusively formulated to provide a handy and easy solution to your glass cleaning operation. 1 Litre size in spray bottles.	25L 5L 1L	1 4 12	36.72 7.83 2.15
GCTP	SCREW TAP	Screw on tap for 25lt drums.	1	1	3.35
EMSB	EMPTY SPRAY BOTTLE	Ideal for applying the above cleaner. Heavy duty 0.6 litre capacity with a fine spray.	0.6L	1	1.07
ABPVC	AB PVCu CLEANER	A high quality viscous PVCu cleansing cream ideally suited to most plastics and laminates.	1L	12	2.00
ABS	AB PVCu SOLVENT CLEANER	A solvent designed for cleaning excess grease, mastic and grime from PVCu window frames.	1L	12	3.51
ABX	AB SOLVENT CLEANER TYPE X	Will remove very heavy stains, old mastic etc. It is the user's responsibility to determine suitability. Extremely strong.	1L	12	4.64
CP	BRITAFRAME CLEANING PADS	Non-abrasive and chemical free cleaning pads. Just use water to easily remove stubborn grime from aluminium or PVCu windows and conservatory frames.	70mm x 100mm	4	5.51
IDWT	SWIPEX	Professional multi-purpose cleaning wipes, unique in their ability to clean paint, tape deposits, silicone, PU foam, oil, grease and more, from hands, tools and surfaces. There's no mess, no fuss, just a quick and effective solution to your cleaning needs. Say goodbye to traditional cleaners, messy sinks and taps and those lovely dirty wet towels.	80 Wipes per tub	6 tubs per box	6.99
TWPA	TWINPACK	Two 1000 sheet, perforated, 2 ply white paper rolls for use whenever there is an unending run of wiping tasks.	2 Rolls per pack	1	30.62
PPRL	GLASS WIPES	Versatile white 2 ply paper rolls, 125 perforated wipes per roll, with a soft finish for general wiping and cleaning jobs.	10"	18	34.02 Box 1.89 Each
CFRL	CENTRE FEED ROLLS	Two ply white centre feed rolls, 450 perforated sheets per roll of 180 meters.	6 Rolls per pack	1	33.05
DSB1 DSB2	DUST SHEET TYPE B	TYPE B – A heavy duty dust sheet of professional quality for painters and decorators, protects carpets and furniture, tough and highly absorbent washable and re-usable.	12' x 9' 24' x 3'	1 1	9.45 9.45

<b>TAPES</b>					
Code	Products / Colours	Description	Size	Pack Quantity	Price Each
VG116BL-12	SECURITY FOAM TAPE Black (stock)	Venture Tape VG100 Series Security Glazing tapes are closed cell polyolefin foam tapes which conform to BS 7950 Manual glazing test. The unique differential adhesive system is specifically designed for windows and door glazing applications. The exposed side adhesive is specifically designed for adhesion to sash and frame materials and the liner side adhesive is specifically designed for adhesion to glass. These surface specific adhesives provide optimum performance, weather resistance, and longevity. Exceeds A.A.M.A Specification #810.1-92 Type 1 for Cellular Glazing Tapes.	1.6mm x 12mm x 46m	42	7.80
VG108BL-12	White available on request.		3.2mm x 12mm x 26m	42	5.56
VG1316BL-12			4.8mm x 12mm x 18m	42	3.98

Other sizes are available on request. Contact sales office for details (01264 359984).

## SELF-TAPPING MASONRY SCREWS

Product Code	Metric Size		Box Quantity	Price Per Box
<b>COUNTERSUNK PHILLIPS HEAD</b>			<ul style="list-style-type: none"> <li>Cuts its own mating thread into concrete, brick and most masonry materials. Eliminates the need for plugs etc. And provides complete fire protection.</li> <li>Fast to install.</li> <li>Remaining adjustable.</li> <li>No expansion.</li> <li>High corrosion resistance.</li> <li>Counter sunk and hexagon heads available.</li> </ul>	
MSP 63070	6.3 x 70	100		15.09
MSP 63082	6.3 x 82	100		18.91
MSP 63100	6.3 x 100	100		24.12
MSP 63125	6.3 x 125	100		33.90
<b>MASONRY DRILL BITS</b>				
MSD 51150	5.15 x 150	1		2.73
<b>SDS MASONRY DRILL BITS</b>				
SDS43160	4.35 x 160	1		5.19
SDS51210	5.15 x 210	1		9.43

## MASONRY WALL SCREWS (MRS) UNIVERSAL 7.5mm

<b>T30 WALL SCREWS</b>			Box Quantity	Price Per Box
<b>Product Code</b>	<b>Metric Sizes</b>		<ul style="list-style-type: none"> <li>Less resistance while screwing into base material due to wax coating.</li> <li>User-friendly, time saving assembling.</li> </ul>	
T3042	7.5 x 42*	100		7.80
T3062	7.5 x 62*	100		8.22
T3080	7.5 x 80*	100		9.26
T30100	7.5 x 100*	100		10.20
T30120	7.5 x 120*	100		12.62
T30150	7.5 x 150*	100		19.13
T30180	7.5 x 180*	100		31.06
<i>* Free T30 Tip in each box</i>				
<b>PLASTIC END CAPS FOR MRS</b>				
T30WH	White	100	2.99	
T30BL	Black	200	6.83	
T30BR	Brown	200	6.83	
T30DB	Dark Brown	200	6.83	
<b>SCREWDRIVER ACCESSORY BITS</b>				
T30	25mm Tip	1	1.71	
<b>SDS MASONRY DRILL BITS</b>				
SDSM06160	SDS 6mm x 160	1	2.73	
SDSM65210	SDS 6.5mm x 210	1	2.93	
SDSM65260	SDS 6.5mm x 260	1	3.29	

## SELF-DRILLING BAYPOLE SCREWS

Product Code	Metric Size	Hardened steel self-drilling screws, Phillips flange head.	Box Quantity	Price Per Box
FG/1050	4.8mm x 50mm		100	14.95
FG/1060	4.8mm x 60mm		100	16.38
FG/1070	4.8mm x 70mm		100	22.04
FG/1080	4.8mm x 80mm		100	24.79

# POZI FLAT COUNTERSUNK SCREWS

Code	Metric Size	Imperial Size	Box Size	Price Per Box	Code	Metric Size	Imperial Size	Box Size	Price Per Box
AY03012	3 x 12	4 x 1/2	200	1.01	AY45045	4.5 x 45	9 x 1-3/4	200	3.85
AY03016	3 x 16	4 x 5/8	200	1.08	AY45050	4.5 x 50	9 x 2	200	4.24
AY03020	3 x 20	4 x 3/4	200	1.21	AY45055	4.5 x 55	9 x 2-1/4	200	4.92
AY03025	3 x 25	4 x 1	200	1.31	AY45060	4.5 x 60	9 x 2-1/2	100	2.56
AY03030	3 x 30	4 x 1-1/4	200	1.61	AY45070	4.5 x 70	9 x 2-3/4	100	3.04
AY03035	3 x 35	4 x 1-3/8	200	1.82	AY45080	4.5 x 80	9 x 3	100	3.54
AY03040	3 x 40	4 x 1-1/2	200	2.01	AY05020	5 x 20	10 x 3/4	200	2.46
AY03045	3 x 45	4 x 1-3/4	200	2.45	AY05025	5 x 25	10 x 1	200	2.85
AY35012	3.5 x 12	6 x 1/2	200	1.11	AY05030	5 x 30	10 x 1-1/4	200	2.99
AY35016	3.5 x 16	6 x 5/8	200	1.19	AY05035	5 x 35	10 x 1-3/8	200	3.60
AY35020	3.5 x 20	6 x 3/4	200	1.36	AY05040	5 x 40	10 x 1-1/2	200	3.73
AY35025	3.5 x 25	6 x 1	200	1.45	AY05045	5 x 45	10 x 1-3/4	200	4.19
AY35030	3.5 x 30	6 x 1-1/4	200	1.79	AY05050	5 x 50	10 x 2	200	4.65
AY35035	3.5 x 35	6 x 1-3/8	200	2.12	AY05055	5 x 55	10 x 2-1/4	200	5.74
AY35040	3.5 x 40	6 x 1-1/2	200	2.35	AY05060	5 x 60	10 x 2-1/2	100	2.89
AY35045	3.5 x 45	6 x 1-3/4	200	2.74	AY05070	5 x 70	10 x 2-3/4	100	3.33
AY35050	3.5 x 50	6 x 2	200	2.96	AY05080	5 x 80	10 x 3	100	3.82
AY04012	4 x 12	8 x 1/2	200	1.49	AY05090	5 x 90	10 x 3-1/2	100	5.69
AY04016	4 x 16	8 x 5/8	200	1.54	AY05100	5 x 100	10 x 4	100	6.34
AY04020	4 x 20	8 x 3/4	200	1.71	AY05120	5 x 120	10 x 4-3/4	100	11.37
AY04025	4 x 25	8 x 1	200	1.82	AY06035	6 x 35	12 x 1-3/8	200	5.45
AY04030	4 x 30	8 x 1-1/4	200	2.05	AY06040	6 x 40	12 x 1-1/2	200	5.80
AY04035	4 x 35	8 x 1-3/8	200	2.12	AY06045	6 x 45	12x 1-3/4	200	6.59
AY04040	4 x 40	8 x 1-1/2	200	2.56	AY06050	6 x 50	12 x 2	200	7.01
AY04045	4 x 45	8 x 1-3/4	200	3.16	AY06055	6 x 55	12 x 2-1/4	200	8.46
AY04050	4 x 50	8 x 2	200	3.26	AY06060	6 x 60	12 x 2-1/2	100	4.25
AY04055	4 x 55	8 x 2-1/4	200	4.27	AY06070	6 x 70	12 x 2-3/4	100	5.19
AY04060	4 x 60	8 x 2-1/2	100	2.17	AY06080	6 x 80	12 x 3	100	6.46
AY04070	4 x 70	8 x 2-3/4	100	2.52	AY06090	6 x 90	12 x 3-1/2	100	7.77
AY04075	4 x 75	8 x 3	100	2.85	AY06100	6 x 100	12 x 4	100	8.42
AY45016	4.5 x 16	9 x 5/8	200	1.86	AY06110	6 x 110	12 x 4-3/8	100	9.83
AY45020	4.5 x 20	9 x 3/4	200	2.10	AY06120	6 x 120	12 x 4-3/4	100	11.64
AY45025	4.5 x 25	9 x 1	200	2.26	AY06130	6 x 130	12 x 5-1/4	100	12.42
AY45030	4.5 x 30	9 x 1-1/4	200	2.48	AY06140	6 x 140	12 x 5-1/2	100	14.45
AY45035	4.5 x 35	9 x 1-3/8	200	2.90	AY06150	6 x 150	12 x 6	100	15.80
AY45040	4.5 x 40	9 x 1-1/2	200	3.08					

Hardened yellow passivated finish, single deep cut thread provides excellent holding into a variety of materials such as chipboard, block-board, timber etc.

Waxed coated eases penetration.

Cross recessed head.

Other screw types are available such as stainless steel screws. Please contact sales office for more details.

Tel:- 01264 359984.

<b>DRILL BITS</b>				
Code	Size	Description	Box Quantity	Price Per Box
<b>HSS METRIC DRILLS (Ground)</b>				
HSS3.0	3.0mm		10	7.14
HSS3.5	3.5mm		10	5.61
HSS4.0	4.0mm		10	6.99
HSS4.5	4.5mm		10	7.35
HSS5.0	5.0mm		10	9.56
HSS5.5	5.5mm		10	10.45
HSS6.0	6.0mm		10	13.69
HSS6.5	6.5mm		10	13.99
HSS7.0	7.0mm		10	14.66
HSS7.5	7.5mm		10	16.72
HSS8.0	8.0mm		10	18.75
<b>HSS LONG SERIES</b>			<b>Pack Quantity</b>	<b>Price Each</b>
HSSLS3.0	3.0mm	<ul style="list-style-type: none"> <li>Industrial quality ground from high speed steel.</li> <li>Ideal for drilling in applications where extra reach is required.</li> </ul>	1	1.49
HSSLS3.5	3.5mm		1	1.82
HSSLS4.0	4.0mm		1	1.91
HSSLS4.5	4.5mm		1	2.17
HSSLS5.0	5.0mm		1	2.28
HSSLS6.0	6.0mm		1	4.90
HSSLS8.0	8.0mm		1	5.55
<b>MASONRY DRILL BITS</b>			<b>Pack Quantity</b>	<b>Price Each</b>
MS08150	8mm x 150mm	<ul style="list-style-type: none"> <li>Suitable for rotary and impact drilling of deep holes in all masonry type materials.</li> <li>Tungsten Carbide tipped drills copper blazed for greater strength.</li> <li>Manufactured to BS 5621 and ISO 5468.</li> </ul>	1	2.16
MS08400	8mm x 400mm		1	2.32
MS10150	10mm x 200mm		1	1.36
MS10400	10mm x 400mm		1	3.38
<b>SDS PLUS HAMMER DRILL BITS</b>			<b>Pack Quantity</b>	<b>Price Each</b>
SDS08210	8mm x 210mm	<ul style="list-style-type: none"> <li>SDS Plus shank available for AEG, Bosch, Black &amp; Decker, Hi Hi, Makita, Metabo and many other drilling machines.</li> <li>Manufactured to DIN SO493, 1A@33.</li> <li>Suitable for rotary hammer drilling in concrete, brick, stone and rock.</li> </ul>	1	5.94
SDS08260	8mm x 260mm		1	7.83
SDS10210	10mm x 210mm		1	6.45
SDS10260	10mm x 260mm		1	7.32

Many other sized drill bits are available. Details on request.

## WINDOW FIXINGS

Code	Product	Description	Size	Quantity	Price
WF08100	NYLON WINDOW FRAME FIXINGS FOR PVCu WINDOW FRAMES	For the installation of PVCu and aluminium doors and window frames to brick, block and concrete.	8 x 100	100	11.46
WF08140			8 x 140	100	15.19
WF10075		The nylon sleeve isolates the zinc plated steel screw, preventing bi-metallic corrosion.	10 x 75	100	13.94
WF10100		Allow frame position to be adjusted during installation.	10 x 100	100	15.13
WF10120			10 x 120	100	17.46
WF10140			10 x 140	100	20.76
		Push cover caps to enhance finished appearance included.			

Many other fixings, anchors, bolts, rivets, nails, etc. available. Details on request.

## PLASTIC WALL PLUGS

Code	Product/Colours	Supplied on a sprue of 10, boxed in 100's in outer quantities of 1000.	Screw Size	Pack Quantity	Price Each
PWRD1	RED			6 – 8	100
PWBR1	BROWN	10-12-14		100	0.94

## OPTITOR SCREWDRIVER BITS

Code	Product/Colours		Bit Length	Quantity	Price Each
PHO25	PHILLIPS OPTITOR No.2	<ul style="list-style-type: none"> <li>Torsion Zone enhances the torsional twist of the tool on high torque, minimising wear and risk of fracture.</li> </ul>	25mm	1	0.44
PHO50	PHILLIPS OPTITOR No.2		50mm	1	0.75
POZ25	POZI OPTITOR No.2	<ul style="list-style-type: none"> <li>Longer life than traditional standard bits.</li> </ul>	25mm	1	0.44
POZ50	POZI OPTITOR No.2		50mm	1	0.75
MTH75	MAGNETIC TIP HOLDER WITH LOCKING RING	<ul style="list-style-type: none"> <li>Optimum connection between bits and machine.</li> <li>Manufactured to DIN and ISO 9001 standards.</li> </ul>	75mm	1	6.20

## PLASTIC HEADED PINS AND NAILS

Code	Product		Size	Pack Quantity	Price Per Box
PPW25	POLYPINS	Stainless Steel A4	25mm	250	13.75
PPW30			30mm	250	13.75
PPW40	White	Marine Grade	40mm	250	13.75
PNW50	POLYNAILS		50mm	100	12.96
PNW65	White		65mm	100	12.96
CP30	CLADDING PINS		30mm	250	6.00

Polypins and polynails are available with many different coloured heads at a 15% surcharge on white prices.

## GLAZING PACKERS

Code	Colour	Size	Price Per 1000
<b>FLAT PACKERS</b>			
FP241	Green	24 x 100 x 1	16.84
FP242	Black	24 x 100 x 2	19.53
FP243	White	24 x 100 x 3	22.17
FP244	Grey	24 x 100 x 4	27.64
FP245	Blue	24 x 100 x 5	30.09
FP246	Red	24 x 100 x 6	33.54
FP262	Black	26 x 100 x 2	20.29
FP263	White	26 x 100 x 3	22.69
FP264	Grey	26 x 100 x 4	24.20
FP281	Green	28 x 100 x 1	19.38
FP282	Black	28 x 100 x 2	21.79
FP283	White	28 x 100 x 3	23.90
FP284	Grey	28 x 100 x 4	27.22
FP285	Blue	28 x 100 x 5	28.65
FP286	Red	28 x 100 x 6	29.02
FP301	Green	30 x 100 x 1	23.30
FP302	Black	30 x 100 x 2	24.42
FP303	White	30 x 100 x 3	26.00
FP304	Grey	30 x 100 x 4	30.51
FP305	Blue	30 x 100 x 5	31.99
FP306	Red	30 x 100 x 6	34.51
FP321	Green	32 x 100 x 1	22.69
FP322	Black	32 x 100 x 2	25.70
FP323	White	32 x 100 x 3	29.15
FP324	Grey	32 x 100 x 4	31.81
FP325	Blue	32 x 100 x 5	33.82
FP326	Red	32 x 100 x 6	36.53

Other sizes of Flat Packers are available including 12mm and 40mm. Contact sales office for details.

## GLAZING PACKERS

Code	Colour	Size	Price Per 1000
<b>WEDGE PACKERS</b>			
WP241-3	Green	24 x 60 x 1-3	42.38
WP243-5	Blue	24 x 60 x 3-5	51.72
WP244-6	Black	24 x 60 x 4-6	57.42
WP263-5	Black	26 x 80 x 3-5	79.23
WP281-3	Green	28 x 80 x 1-3	35.07
WP282-4	Yellow	28 x 80 x 2-4	62.66
WP283-5	Blue	28 x 80 x 3-5	69.61
WP284-6	Black	28 x 80 x 4-6	76.57
<b>BRIDGE PACKERS</b>			
BP155	Black	15 x 100 x 5	31.12
BP205	Black	20 x 100 x 5	33.02
BP225	Black	22 x 100 x 5	36.78
BP245	Black	24 x 100 x 5	38.28
BP265	Black	26 x 100 x 5	39.37
BP325	Black	32 x 100 x 5	41.85

Other sizes and types of wedge packers, bridge packers and frame packers are available. Contact sales office.

## GLAZING ACCESSORIES

Code	Product	Pack size	Price
<b>DRAIN HOLE COVERS</b>			
DHCO	Drain hole cover	Oblong White	500
DHCOBL	Drain hole cover	Oblong Black	200
DHCOB	Drain hole cover	Oblong Brown	100

Many other accessories are available including Locking Wedges, Run up blocks, Flexible Corner Glazing Wedges, Corner Glazing Blocks, Security Glazing Wedges, Night Vent Keeps etc. Details on request.

## TOOLS















Code	Product/Colours	Description	Size	Pack	Price
RK	RETRACTABLE KNIFE	Ergonomically designed with quick release blade change and retractable blade.		1	4.99
SB	STANLEY BLADES	Also suitable for the retractable knife.		5	0.43 / pack
GSH	GASKET SHEARS	Any angle gasket shears.		1	9.95
GSHB	GASKET SHEAR BLADES	Replacement blades for gasket shears.		1	3.99
TM7	SOFT GRIP TAPE MEASURE	Robust construction, with lock, pause button and belt clip. Soft grip anti slip case. Imperial and metric calibrated tape.	7.5m	1	7.50
SAW	UPVC SAW	Spears & Jackson UPVC saw.		1	8.45
SG150	SOLO G-CLAMP	A unique patented G-clamp designed for use with ONLY ONE HAND. It is ideal for clamping work pieces, either around the factory or home, where a conventional G-clamp would not be able to cope. It is fast, easy to use and safe.	150mm 6"	1	5.95
9IN1	9 IN 1 PAINTERS TOOL	Multi-function tool with many uses.		1	7.50
GS	GLAZING SHOVEL	Plastic glazing shovel.		1	5.60

## SKELETON FRAME GUNS

Code	Products / Colours	Description	Size	Pack Quantity	Price Each
HDSG	HEAVY DUTY	The advance applicator that will satisfy the needs of professional tradesmen who apply sealants on a daily basis.	10"	Single	9.92
SW10	WEXFORD	A low cost gun for the professional tradesmen or discerning DIY enthusiasts whose work include semi-frequent application of sealants.	10"	Single	4.45
MG	MASTIC GUN	A Low cost gun for the discerning DIY enthusiasts whose work includes the semi-frequent application of sealants.	10"	Single	2.59

# Twinson Composite Decking

Twinson Decking combines all the advantages of wood and PVC. By combining wood and PVC in a single new base material, Twinson gives you the best of both worlds – the natural appearance and feel of wood as well as the low maintenance durability of PVC.

Product Code	Profile Drawing	Description	Length	Price per length
9555		Reversible Decking Plank 140mm x 28mm	6m	45.95
9555		Reversible Decking Plank 140mm x 28mm	4.5m	34.95
9556		Skirting Decking 78mm x 10mm	6m	29.95
9556		Skirting Decking 78mm x 10mm	4.5m	24.95
9590		Multifunctional Flat Plank 150mm x 5mm	6m	34.95
9590		Multifunctional Flat Plank 150mm x 5mm	4.5m	25.95
9544		Stainless Steel Deck Fixing		00.52
9554		Marine Grade Stainless Steel Deck Fixing		00.85
9552		Batten For Decking 48mm x 35mm	6m	23.95
9552		Batten For Decking 48mm x 35mm	4.5m	18.95
9543		Aluminium Finishing Profile For Decking (Available in black or silver)	6m	40.95
9557		End cap For 9555		1.05
9545		O – Clean		9.95
2761		Aluminium Starter Trim	3m	4.95

Square Meters	Discount
0-20	List Price
21-30	5%
31-40	10%
41-50	15%
51-70	20%
71+	25%

**Twinson Decking is available in the following colours**

Walnut - 522	River Stone Grey – 509
Olive Green – 507	Apricot Brown – 506
Hazelnut Brown – 503	Turf Brown – 505
Bark Brown – 504	Liquorice Black - 502

**Free Samples Available**

All prices are subject to VAT

# CONDITIONS OF SALE

1. In these conditions:  
"the company" shall mean A.B. Sealants, and "the customer" shall mean any person, firm or company with whom the company contracts, "the goods" shall mean all products covered by the order.
2.
  - a) Any quotation given by the company is only an invitation to the customer to make an offer, and no order of the customer placed with the company in pursuance of a quotation or otherwise shall be binding on the company unless and until it is accepted by the company on the company's Acceptance of Order form.
  - b) Any contract between the company and the customer, thereafter called "the contract", shall incorporate and be subjected to these conditions according to their provisions, save as may have been expressly varied by the company's Acceptance of Order.
3. Unless it is a term of the contract that the price quoted by the company shall remain fixed, the price shall be the company's price ruling at the date of dispatch of the goods. V.A.T. will be payable in addition at the current rate.
4. Whilst the company will make every effort to comply with any date or dates for dispatch or delivery of the goods stated in the contract, such date or dates shall constitute only statements of expectation, and shall not be binding on the company. If the company fails to dispatch or deliver the goods by such a date or dates, such failure cannot constitute breach of contract and the customer shall not be entitled to treat the contract as thereby repudiated or to rescind it or any related contract in whole or in part, or claim damages for such failure.
5.
  - a) Unless otherwise provided in the contract, delivery shall be made to the customer's premises. The customer shall accept deliveries of goods when offered and shall provide such instructions as necessary to its employees to accept such delivery and shall be liable for any additional costs suffered by the company in the event of wrongful refusal or delay in accepting delivery or in providing premises, services or information for the customer to effect safe delivery.
  - b) Unless otherwise provided in the contract, the price of goods includes the cost of carriage by the means most convenient to the company.
6.
  - a) Where the company itself delivers the goods, the risk shall pass to the customer on delivery, in all other cases the risk shall pass to the customer when the goods leave the company's premises.
  - b) Where the company itself delivers the goods, the company undertakes to replace any goods damaged in transit, in which event the time for delivery of the goods shall be extended for such a period as the company reasonably requires for such replacement. It is a condition of this undertaking that:
    - i) the customer shall give written notice of such damage in transit with reasonable particulars thereof to the company within fourteen days of receipt of the goods and
    - ii) the customer, if requested by the company to do so, shall return the damaged goods to the company within three weeks of its receipt thereof.
7.
  - a) The company hereby warrants that the goods are free from any significant defect in workmanship and materials, but the company's liabilities under this warranty shall be limited to making available free of charge the labour and materials required to make good any defects or (at the company's option) replacing the defective goods. The company's liability under this warranty is also conditional upon:
    - i) written notice of the defect being given to the company within fourteen days after the discovery of the same, and in any event within three months after the date of delivery, or the date on which the customer was informed that the goods are ready for delivery, whichever occurs first.
    - ii) the goods having been properly stored and used by the customer prior to the defect occurring.
    - iii) the goods not having been subjected to any abnormal or improper use or modification.
    - iv) the goods having been returned at the company's request, but at the buyer's expense, for inspection.
  - b) The warranty contained in a) above is given in lieu of, and shall be deemed to exclude, all other warranties and conditions whether express or implied, whether arising by common law, statute or otherwise, other than that relating to title of goods.
8.
  - a) Property in the goods shall not pass to the customer until the customer has paid to the company the whole price thereof and until such price has been paid, the customer holds the goods in its possession as bailee for the company. Whilst acting as such bailee, the customer will not pledge or allow any lien or charge to be created over the goods nor deal with the goods except in the ordinary course of business and will indemnify the company against any loss or deterioration and will keep the goods properly insured for not less than their contract value.
  - b) If the customer sells or disposes of the goods in such manner as to pass valid title to a third party, the customer shall hold the proceeds of such sale (and pending payment, the right to receive the proceeds of such sale) on trust for the company. At any time prior to payment to the company of the entire price of the goods, the customer agrees that the company may enter on to the customer's premises and remove the goods, and prior to such payment the customer will keep the goods at all times separate and identifiable for such purposes.
9. Customer's property and all property supplied to the company by, or on behalf of the customer will be held and carried at the customer's risk. The company shall have a general lien on all the customer's property in its possession in respect of any sums due to the company, and after giving fourteen days written notice to the customer, may dispose of such property as it thinks fit.
10.
  - a) Unless otherwise agreed in writing, payment for goods shall be made not later than the last day of the month following the month of issue of the invoice, and title of the goods shall only pass on payment in full to the company being made therefor.
  - b) If the customer does not pay any invoice, by the due date of payment, the company shall have the right to withhold delivery of any further goods whether under the contract or any other contract between the company and the customer.
  - c) The company may at its discretion charge interest on all overdue accounts at the rate of 2% per month, from the due date of payment without prejudice to its other rights.
11. Unless the contract expressly provides otherwise, all weights, dimensions, statements as to performance, and any other data relating to the goods supplied by the company, are approximate only.
12. Unless otherwise provided in the contract, the price does not include the costs of cases or packing materials, which shall remain the property of the company, and be returnable to the company at the customer's risk.
13. Without prejudice to any other rights it may have, the company may by notice in writing to the customer, terminate any contract forthwith if:
  - i) The customer shall commit any breach of any of the terms of any contract with the company provided that, if the breach is remediable, the company has given to the customer notice of such breach, which has not been remedied within seven days thereafter.
  - ii) The company reasonably believes that the customer will be unable to pay the purchase price of the goods.
  - iii) If the customer, being a company, shall call any meeting of its creditors, or have a receiver of all or any of its assets appointed, or enter into liquidation, or if it is insolvent, or, if being an individual, he is insolvent, or have a receiving order against him.
14. The company will make every effort to carry out the contract in accordance with its terms, but it shall not be liable for any failure on its part to perform any term of the contract arising from any cause outside the company's control including (but without prejudice to the generality of the foregoing) act of God, war, strike, lock-out or other industrial dispute, fire, flood, shortages of materials, or breakdown of machinery or plant.
15. The contract shall be governed by the construed in accordance with English Law.



**Specialist Silicones  
Fixings And Adhesives  
Expanding Foam Kits**

Unit 5 Regents Court  
Walworth Industrial Estate  
Andover

Hampshire  
SP10 5NX

Tel: (01264) 359984

Fax: (01264) 335200

Email: [sales@absealants.co.uk](mailto:sales@absealants.co.uk)

[www.absealants.co.uk](http://www.absealants.co.uk) Silicones & Adhesive

[www.decospansels.co.uk](http://www.decospansels.co.uk) Decorative bath panelling


[www.expandingfoamkits.co.uk](http://www.expandingfoamkits.co.uk) Expanding two part foam kits

[www.abproducts.co.uk](http://www.abproducts.co.uk) Maintenance free decking

# INFORMATION

OPENING TIMES 8.00a.m. – 5.00 p.m. Monday to Friday  
8.30a.m. – 12 noon Saturday ( Except Bank Holidays )

COLLECTIONS Can be made any time during opening hours



PAYMENT All major credit cards accepted.



Other price lists available include:

- A.B. Sealants Ltd – Sealants trade price list
- Polycarbonate Sheeting & Glazing Bars
- Polycarbonate Accessories
- Hygiene Cladding
- Bituwell Corrugated
- PVC Corrugated
- Acrylics – Polycarbonate
- Decos – Decorative Cladding
- Spa Boards – Shower Bathroom Sheeting
- Handy-Foam – Spray insulation Foam Kits
- Fitrite Decking & Fencing
- Twinson Decking



Unit 5 Regents Court  
Walworth Industrial Estate  
Andover  
Hampshire  
SP10 5NX

TEL: (01264) 359984

FAX: (01264) 335200

Email: [sales@absealants.co.uk](mailto:sales@absealants.co.uk)

[www.absealants.co.uk](http://www.absealants.co.uk) Silicones & Adhesive

[www.decospansels.co.uk](http://www.decospansels.co.uk) Decorative bath panelling

[www.expandingfoamkits.co.uk](http://www.expandingfoamkits.co.uk) Expanding two part foam kits

[www.abproducts.co.uk](http://www.abproducts.co.uk) Maintenance free decking