

outdoor living

Composite decking, fencing, balustrade,
& synthetic turf for the modern home



CONTENTS

Composite decking, fencing and balustrade are an environmentally friendly outdoor living solution for the modern home. Composite products are a low maintenance timber alternative and along with our range of synthetic turf, allows the garden to be enjoyed all year round.



HOLLOW DECKING



SOLID DECKING



BALUSTRADE



ECO FENCING



COMPOSITE FENCING



SYNTHETIC TURF

Hollow decking, balustrade and fencing all comply with RoHS

Our RoHS Green Product compliant manufacturing process uses only the best quality, unsoiled wood content.



HOLLOW DECKING

THE DURABLE ALTERNATIVE TO TIMBER



Composite hollow decking is perfect for gardens, patios, pool areas and holiday homes. Its recycled wood polymer construction makes composite wood so much more durable than timber. Composite wood has added resistance to damage from a variety of the common threats to the appearance of decking; whether that be bicycles, barbecues, party-goers, paddling pools or garden furniture.

Scrubbing and staining your deck every year is a thing of the past with composite wood decking. It comes in four

natural shades that resist the fading caused by sunlight and air pollutants. The colour is also constant through the entire core of the product so composite wood's appearance with regard to its colour has greater longevity, with something as simple as an annual, light jet wash being enough to uphold this level of appearance.

Clever concealed fixings give a neat, flawless finish which can be installed quickly and easily making composite wood the ideal decking choice.

BENEFITS OF COMPOSITE HOLLOW DECKING



20-year guarantee



Natural look




Durable and long lasting



Slip resistant



No painting or staining



Seamless installation with hidden fixings




Durable and strong with lifelong beauty

- ▶ Hollow decking is made using a unique homogenous wood polymer construction that maintains its high performance for years and years without the need for time consuming maintenance and painting
- ▶ Hollow decking is constructed from ethically sourced, traceable recycled wood from timber mills and recycled plastic polymer
- ▶ Hollow decking is colour stabilised to protect it from UV rays and other fading effects
- ▶ Hollow decking has 60% timber content to prevent damage. It is strong enough to withstand stiletto heels and is naturally slip resistant and splinter free making it safer for children, visitors and pets

HOLLOW DECKING


Hollow decking – top tips

- ▶ Providing expansion gaps allows proper drainage and ventilation to the sub base which prevents the timber from rotting
- ▶ Do not lay the decking boards directly onto a solid surface
- ▶ Always allow a 150mm air-gap to create unobstructed airflow under the deck
- ▶ Hollow decking requires a smaller level of maintenance over its life. Cleaning up with a garden hose is sufficient to uphold its colour
- ▶ Do not use aggressive chemical cleaning products
- ▶ Hollow decking can be cleaned with a pressure washer, but its important to ensure the unit is less than 80 bar, the temperature must be no more than 40°C, and position the lance head no closer than 30cm
- ▶ Do not place heavy items over 100kg on your deck or drag furniture across the decking planks which could damage your deck.



Colours available

- ▶ With four colour options you can create decking designs to give your garden, holiday home or patio a truly stylish look.




ANCIENT BLACK



WILD BROWN



SALT LAKE SILVER



ANTIQUE ASH



HOLLOW DECKING

DECKING BOARDS

Double-sided hollow decking board

www.eurocell.co.uk/decking-calculator



Use our **FREE** simple decking calculator to quickly estimate the products you need for your project

Double-sided Hollow Decking Board
(Woodgrain & Grooved)
Size: D:25mmxW:145mmxL:3660mm

Ancient Black **EC-DECK-AB**

Antique Ash **EC-DECK-AA**

Salt Lake Silver **EC-DECK-SLS**

Wild Brown **EC-DECK-WB**

▶ Timber, aluminum or composite joists are available, please ask in branch



WOODGRAIN



GROOVED

ANCIENT BLACK



ANTIQUÉ ASH



SALT LAKE SILVER



WILD BROWN



Warranty Details Decking

Eurocell Decking is covered by a Twenty (20) year warranty against warping, cracking, splitting, rotting and fungal decay caused by manufacturing defects, when subject to normal use. For the full terms and conditions of this warranty please ask our branch staff for further documentation.

**20-YR
GUARANTEE**
Conditions apply*

HOLLOW DECKING

TRIMS AND ACCESSORIES

www.eurocell.co.uk/decking-calculator



Use our **FREE** simple decking calculator to quickly estimate the products you need for your project


Step & Edge Nosing Woodgrain –
Size: 150mmx25mmx3660mm

Ancient Black **EC-STEPNOSE-AB-WG**

Antique Ash **EC-STEPNOSE-AA-WG**

Salt Lake Silver **EC-STEPNOSE-SLS-WG**

Wild Brown **EC-STEPNOSE-WB-WG**



Wild Brown


Step & Edge Nosing Groove –
Size: 150mmx25mmx3660mm

Ancient Black **EC-STEPNOSE-AB-GR**

Antique Ash **EC-STEPNOSE-AA-GR**

Salt Lake Silver **EC-STEPNOSE-SLS-GR**

Wild Brown **EC-STEPNOSE-WB-GR**



Wild Brown


Edging Trim –
Size: 42mmx6mmx3660mm

Ancient Black **EC-EDGETRIM-AB**

Antique Ash **EC-EDGETRIM-AA**

Salt Lake Silver **EC-EDGETRIM-SLS**

Wild Brown **EC-EDGETRIM-WB**



Salt Lake Silver


Fascia Board –
Size: 150mmx15mmx3660mm

Ancient Black **EC-FASCIA-AB**

Antique Ash **EC-FASCIA-AA**

Salt Lake Silver **EC-FASCIA-SLS**

Wild Brown **EC-FASCIA-WB**



Ancient Black


Stainless Steel Clip

Stainless Steel **TG-SSCLIP**



Starter Clip

Stainless Steel **EC-STCLIP**



PE Clip

EC-PECLIP



Locking Clip

EC-LOCKCLIP



SOLID DECKING

TRANSFORM YOUR GARDEN

Solid composite decking is a high performing range of premium decking that looks and feels just like timber decking but without the risk of cracks or splinters, making gardens a safer environment for bare feet, small children and pets.

Available in three multi-tonal colours this high-traction woodgrain offers outstanding surface durability and great choice for lower-level decks. What's more is our solid composite decking is manufactured from recycled material and the composites are toxin-free and produced using sustainable methods.

BENEFITS OF COMPOSITE SOLID DECKING




20-year guarantee



Real wood look



Eco friendly





Quick and easy installation



No painting or staining



Slip resistant



Solid decking – top tips

- ▶ Providing expansion gaps allows proper drainage and ventilation to the sub base which prevents the timber from rotting
 - ▶ Do not lay the decking boards directly onto a solid surface.
 - ▶ Always allow 150mm air-gap to create unobstructed airflow under the deck
 - ▶ Always pre drill holes and use two screws per joist to fix down. Do not over tighten screws and fix in at 90° angles
 - ▶ As solid decking doesn't fade its doesn't matter about the direction in which the decking is laid
- Timber joists are recommended due to cost saving and practicality.

SOLID DECKING

FINISH AND ACCESSORIES

Solid decking

Grooved - Size: D:24mmxW:137mmxL:3066mm

Latte **DEFDSGRLAT366**

Espresso **DEFDSGRESP366**

Earl Grey **DEFDSGREGY366**


Square Edge - Size: D:24mmxW:137mmxL:3066mm

Latte **DEFDSSQLAT244**

Espresso **DEFDSSQESP244**

Earl Grey **DEFDSSQEGY244**


Use with hidden deck fasteners for a smooth fasteners-free surface




Use for stair treads, picture framing and fascia



EARL GREY



ESPRESSO



LATTE

Board Starter Screw Qty: 100 per pack

Brown **DECDTDBROWNSS**

Grey **DECDTGREYSS**



Decking Clips Qty: 90 per pack

DEFCOBRACLIPSB90


Timber Joist - Size:
47mmx150mmx3660mm

Timber **JOISTC2447X150**



Aluminium Joist - Size:
40mmx40mmx3660mm

Aluminium **ALIJOIST**



Composite Joist - Size:
50mmx50mmx2440mm

EC-JOIST-5050



Cradle -
Size: 40mmx40mm

Black **CRADLE**



25-year guarantee

The Twenty (20) year warranty covers Solid Decking for stain and fade resistance when properly installed and used as decking in residential applications. This is extended to the homeowner as long as they own the residence upon which the decking materials are installed.

Stain Resistance: Resistant to permanent staining, resulting from spills of food and drink items. Providing that the decking where installed, cared for and maintained in accordance with the written instructions.

Fade Resistant: Resistant to colour change from light and weathering exposure as measured by colour change in excess of 5 Delta E (Hunter) units provided that these products were installed, cared for and maintained in accordance with the care and maintenance instructions.

**20-YR
GUARANTEE**
Conditions apply*

BALUSTRADES



Composite balustrades and railings complete any hollow decking project in style. High quality and durable, you can choose to perfectly match the decking colour or create a contrast with four colour options.

Available to order as a kit or as individual components. Composite balustrades and railings are sturdy and simple to install to any decking area, garden, outdoor space or holiday home.

BENEFITS OF COMPOSITE BALUSTRADE



20-year guarantee



Strong and safe



Quick and easy installation



Low maintenance



Easy to clean



No painting or staining

Colours available

► With three colour options you can create decking designs to give your garden, holiday home or patio a truly stylish look.



GRAPHITE



CHARCOAL



WALNUT

Warranty Details Decking

Eurocell Decking is covered by a Twenty (20) year warranty against warping, cracking, splitting, rotting and fungal decay caused by manufacturing defects, when subject to normal use. For the full terms and conditions of this warranty please ask our branch staff for further documentation.



BALUSTRADES

KITS AND ACCESSORIES

Balustrade Kits

Balustrade Kit

Graphite **EC-BALUSTRADE-GR**

Charcoal **EC-BALUSTRADE-CH**

Walnut **EC-BALUSTRADE-WN**

Balustrade Kit Components

Composite Newels 1150 x 95 x 95mm x1

Composite Handrail/Baserail 45 x 93 x 1800mm x2

Composite Spindles 54 x 54 x 900mm x9

Plastic Inserts x18

Composite Post Caps x2

L Brackets x2



Components and Accessories

Newel –
Size: 1150x95x95mm

Graphite **NEWEL-1150-GR**

Charcoal **NEWEL-1150-CC**

Walnut **NEWEL-1150-WN**



Handrail –
Size: 45x93x1800mm

Graphite **HANDRAIL-GR**

Charcoal **HANDRAIL-CC**

Walnut **HANDRAIL-WN**



Composite spindle –
Size: 54x54x900mm

Graphite **ECO-11-GR**

Charcoal **ECO-11-CC**

Walnut **ECO-11-WN**



Post cap

Graphite **ECO-10-GR**

Charcoal **ECO-10-CC**

Walnut **ECO-10-WN**



L Bracket

ECO-L-BRACKET



Metal Bolt Down Supports

ECO-BOLT-SUPPORT



Plastic inserts

ECO-09-SI



Installation Guides
can be found for all our
outdoor products at:
[www.eurocell.co.uk/
homeowners/outdoor-living](http://www.eurocell.co.uk/homeowners/outdoor-living)

COMPOSITE ECO FENCING

A QUICK AND EASY SOLUTION



The unique finish of composite fencing will add beauty and complement a gardens' natural surroundings. These incredibly light fencing panels are incredibly strong, making general handling and transportation easy.

Environmentally friendly, Wood-Grain is manufactured from 75% recycled materials. In using Wood-Grain you can be assured that you are protecting the world's natural resources and helping the environment.

BENEFITS OF COMPOSITE ECO FENCING



20-year guarantee



Save time and money



Real wood look




Tough and hard-wearing



No painting or staining



Easy to clean



Easy to cut



Lightweight



Accepts screws

- ▶ Composite fencing is so easy to cut, gravel boards can be easily trimmed to suit popular European fence panels which are 1.8m wide
- ▶ Eco composite fencing posts and gravel boards can also be used in conjunction with wooden panels
- ▶ Eco composite fencing's unique finish will add beauty and complement gardens for years to come. Unlike most traditional fencing, Wood-Grain's dual face means you can also share the cost with neighbours
- ▶ Replace rotten old wood panels from the concrete posts and then slot the composite fencing gravel boards in place. In an instant you have a maintenance free fence which not only looks good but is easy to install and never needs treating
- ▶ Eco composite fencing is a pleasure to work with at around 5kgs it is incredibly light and strong, making general handling and transportation easy.

COMPOSITE ECO FENCING

COLOURS AND ACCESSORIES

Colours available


► With three colour options you can create fencing designs to give your garden a truly stylish look.



NATURAL



WALNUT



GRAPHITE

Posts and panels

Posts - Size: H:1.8mx110mmx90mm

Natural **ECOFPOST6NAT**

Walnut **ECOFPOST6WAL**

Graphite **ECOFPOST6GRA**

Posts - Size: H:2.4mx110mmx90mm
includes steel insert

Natural **ECOFPOST8NAT**

Walnut **ECOFPOST8WAL**

Graphite **ECOFPOST8GRA**

Posts - Size: H:2.7mx110mmx90mm
includes steel insert

Natural **ECOFPOST9NAT**

Walnut **ECOFPOST9WAL**

Graphite **ECOFPOST9GRA**



SIMPLY
STACK TO THE
REQUIRED
HEIGHT

Composite fencing panels - Size: L:1.829mxH:300mm

Natural **ECOFPAN6NAT**

Walnut **ECOFPAN6WAL**

Graphite **ECOFPAN6GRA**

Composite fencing panels - Size: L:2.438mxH:300mm

Natural **ECOFPAN8NAT**

Walnut **ECOFPAN8WAL**

Graphite **ECOFPAN8GRA**

20-year guarantee

All composite fencing products come with a Twenty (20) year manufacturing guarantee against rotting. Variations in colour, shade or pigment are NOT covered under our guarantee. These variations in no way affect the longevity of the product. (For further information on the product guarantee, please review the full composite fencing terms and conditions). For more information, call 0800 988 3047 or visit eurocell.co.uk/fencing

**20-YR
GUARANTEE**
Conditions apply*

COMPOSITE ECO FENCING

ACCESSORIES




Fencing accessories

Decorative caps - Flat cap
Size: 110mmx90mm

Natural **ECOFFCAPNAT**

Walnut **ECOFFCAPWAL**

Graphite **ECOFFCAPGRA**




3-Way utility strip - Corner/End attachment
Size: L2.1mx58mmx20mm

Natural **ECOFUSTRNAT**

Walnut **ECOFUSTRWAL**

Graphite **ECOFUSTRGRA**



SIMPLE TO FIT

Guarantee terms and conditions

The Company or seller offer a 20-year manufacturing guarantee against rotting. In the event of proven manufacturing defect, the Company or seller's total liability shall under no circumstances exceed the price of the defective item. The company or seller shall not in any way be responsible for additional, consequential costs or losses. The company or seller accepts no responsibility for defects to products caused by incorrect fitting, misuse or abuse. This guarantee does not cover any changes to the colour of the product due to natural weathering, shade or colour variations, storm damage or acts of God.

COMPOSITE ECO FENCING

ACCESSORIES

Anti-theft clip

ECOFATCLIP

- Protect the fencing against theft



Supaspike - Size: H:1080mmxDIA:38mm

ECOSPIKE

- The Supaspike is incredibly easy to install, just drive it into the ground and place the post over the top of the spike.



Eco gate

MTOGATE


- Available in all colours opposite



Supaspike bolt down- Size: H:600mmxDIA:38mm
(foot plate 150mmx150mm)

ECOFBDOWN

- For solid surfaces such as driveways and pavements, use the Supaspike Bolt Down.



COMPOSITE FENCING

PREMIUM FENCING THAT'S BUILT TO LAST



With its combination of style, resistance to wear and tear, and malleability to whatever garden specification is thrown at it, composite fencing offers you many benefits that make it a highly attractive feature to have in your garden.

With its modern, sleek colour and simple tongue and groove fitting system that provides additional adaptability, composite fencing is ideal for a wide range of gardens. No compromise is made with appearance, as composite fencing has an on-trend

look that will not deteriorate as it is warp free, rot free and splinter free.

Being capable of withstanding the test of time, whilst not ridding the world of its natural resources, also makes composite fencing a sustainable and forward-thinking option. Merging sustainability with low maintenance, the popularity of composite fencing is only likely to grow, and with the premium look that it brings, we can all be happier for it.

BENEFITS OF COMPOSITE FENCING



20-year guarantee



**Save time
and money**



**Reduced
environmental impact**



Real wood look



**Tough and
hard-wearing**



**No painting
or staining**

Basic requirements

- ▶ All fence posts are 2.4m in height and can be cut to the size required. If you are installing the fence on to concrete ground such as a drive way then the steel post mounts are required
- ▶ Soft ground is required to give adjustable depth for the post to be manipulated to the desired height
- ▶ When preparing the groundwork for the installation of the fence, you must ensure that the ground is as level as possible
- ▶ If the fencing is to be built on a slope, requirements must be made to the groundwork to ensure the fencing goes up in steps. There is no gravel board which requires burying in the ground. Therefore the ground needs to be level
- ▶ Panels are 150mm x 21mm x 1.77m tongue and groove. The first panel will sit on the bottom rail, panels will then stack one on top of the next to the desired height. To ensure that the fence is rooted strongly enough, bury it at least 60cm in to the ground.

COMPOSITE FENCING

COMPONENTS AND ACCESSORIES

WPC Fence Panels –
Size: 150mmx21mmx1.77m

Black **SYN-FEN-GY-BK**



Aluminium post 3way entry –
Size: 40mmx40mmx3.66m

Dark Grey **SYN-3WAY-POST**

Height of fence 2.4m



Ali bottom edge cover –
Size: 21.5mmx30mmx1.77m

Dark Grey **SYN-ALI-BOTEDGE**



Ali strip seal for post –
Size: 23.6mmx4mmx2.4m

Dark Grey **SYN-ALI-STRIP**



Ali top edge cover –
Size: 34mmx30mmx1.73m

Dark Grey **SYN-ALI-TOPEDGE**



Steel Post Mount –
Size: 30mmx25mmx1m

Black **SYN-STMOUNT**

This is only required if fixing the fence to a concrete base



Plastic post skirt
Size: 120x120mm

Black **SYN-POSTSKIRT**



Plastic post cap

Black **ESYN-POSTCAP**



Steel bolts

SYN-STBOLTS



Use for post mount

Steel L shape clips and exp screws

Black **SYN-CLIPS**



SYNTHETIC TURF


GREEN LAWN ALL YEAR ROUND





Our range of high-quality synthetic turf is perfect for all outdoor spaces and is produced using the most advanced materials. We are able to ensure the strongest end product due to years of extensive research and development into raw materials and


long-term product characteristics. It is suitable for a varied number of applications including domestic, commercial and educational use.


BENEFITS OF SYNTHETIC TURF


- 

10 year warranty
- 

Fully porous
- 

Lead free
- 

UV stabilised
- 

Hard wearing
- 

Child and pet friendly



SYNTHETIC TURF

FINISH AND ACCESSORIES



Synthetic Turf – m²

Luxury Synthetic Turf - W:2m - 40mm **GRASS40L**

Premium Synthetic Turf - W:2m - 32mm **GRASS32P**

Standard Synthetic Turf - W:2m - 30mm **GRASS30S**

Luxury Synthetic Turf - W:4m - 40mm **GRASS40L4M**

Premium Synthetic Turf - W:4m - 32mm **GRASS32P4M**

Standard Synthetic Turf - W:4m - 30mm **GRASS30S4M**

ALL
AVAILABLE
IN 2M AND
4M WIDE



Accessories

Synthetic Turf Seaming Tape - 200mm x 20m **GRASSTAPE**

Synthetic Turf Adhesive - 290ml (3m of seam) **GRASSADH**

Non-woven Weed Membrane - 2m x 25m (50m²) **GRASSMEMB**



SPECIFICATION

30mm Standard


Product Specification

Product Name:	Standard
Pile Height:	30mm
Product Weight:	1.100g/m ²
Total Weight:	1.985g/m ²
Yarn Profile:	Flat Mono-filament
Backing Material:	Latex
Roll Specification:	4m & 2m width up to 25m length

Density:

Softness:

Durability:



Technical Specification

Yarn Quality:	Environmentally Friendly, UV Stabilised meets DIN 53387 standard
Yarn Material:	PE Mono-filament Straight & PP Mono-filament Curled
Colour Fastness:	Xenon test: Blue Scale >7, Grey Scale >4
Primary Backing:	100% PP Thiobac with fleece, black, UV Stabilised
Water Permeability:	60 litres per m ² per minute
Fire Retardant	Cfl-S1 (EN ISO 11925-2) with sand infill
Classification:	Efl-S1 (EN ISO 11925-2) without sand infill



32mm Premium


Product Specification

Product Name:	Premium
Pile Height:	32mm
Product Weight:	1.450g/m ²
Total Weight:	2.335g/m ²
Yarn Profile:	Flat Mono-filament
Backing Material:	Latex
Roll Specification:	4m & 2m width up to 25m length

Density:

Softness:

Durability:



Technical Specification

Yarn Quality:	Environmentally Friendly, UV Stabilised meets DIN 53387 standard
Yarn Material:	PE Mono-filament Straight & PP Mono-filament Curled
Colour Fastness:	Xenon test: Blue Scale >7, Grey Scale >4
Primary Backing:	100% PP Thiobac with fleece, black, UV Stabilised
Water Permeability:	60 litres per m ² per minute
Fire Retardant	Cfl-S1 (EN ISO 11925-2) with sand infill
Classification:	Efl-S1 (EN ISO 11925-2) without sand infill



40mm Luxury


Product Specification

Product Name:	Luxury
Pile Height:	40mm
Product Weight:	2.00g/m ²
Total Weight:	2.885g/m ²
Yarn Profile:	Flat Mono-filament
Backing Material:	Latex
Roll Specification:	4m & 2m width up to 25m length

Density:

Softness:

Durability:



Technical Specification

Yarn Quality:	Environmentally Friendly, UV Stabilised meets DIN 53387 standard
Yarn Material:	PE Mono-filament Straight & PP Monofilament Curled
Colour Fastness:	Xenon test: Blue Scale >7, Grey Scale >4
Primary Backing:	100% PP Thiobac with fleece, black, UV Stabilised
Water Permeability:	60 litres per m ² per minute
Fire Retardant	Cfl-S1 (EN ISO 11925-2) with sand infill
Classification:	Efl-S1 (EN ISO 11925-2) without sand infill





For more information about Outdoor Living products,
call our customer services team on **0333 005 6525**, or visit
www.eurocell.co.uk/hollowdecking
www.eurocell.co.uk/soliddecking
www.eurocell.co.uk/balustrade
www.eurocell.co.uk/fencing
www.eurocell.co.uk/syntheticurf

Eurocell plc, Fairbrook House, Clover Nook Road, Alfreton, Derbyshire DE55 4RF



eurocell.co.uk